# NMX – A Macromolecular Diffractometer at the ESS

EUROPEAN SPALLATION SOURCE

> **Esko Oksanen** Scientific Project Leader

ESS Science Symposium on Crystallography for Soft Matter, Prague 2015-09-08




# Outline

- Introduction to neutron macromolecular crystallography – a scientific case for NMX
- Functional requirements
- Layout and components overview
- Expected performance



## **Partners**





а

EUROPEAN SPALLATION SOURCE

Jonathan Holm Rod

Taylor



Israelsson



Peter Sångberg

Esko Oksanen, European Spallation Source



Scientific and Technical Advisory Panel (STAP) for Macromolecular Crystallography

John Helliwell, University of Chair Manchester, UK Sean McSweeney, BNL, NY, USA

Matthew Blakeley, ILL, France

Manuel Angst, FZJ, Germany



Paul Langan, ORNL, TN, USA



3

Derek Logan, Lund University, Sweden





Nobuo Niimura, Ibaraki University, Japan





## Crystallography






⊙ Hydrogens are visible  $\odot$  No radiation damage <sup>©</sup>Large crystals needed <sup>©</sup>Data collection takes weeks Few instruments available

Where are hydrogens important?

Enzyme mechanisms


**Protein-ligand interactions** 

Proton transport across membranes



Oksanen, E *et al. J. R. Soc. Interface* **2009**, *6 Suppl 5*, S599-610.

# SOURCE SO



Key advantages of ESS Macromolecular Diffractometer

Smaller crystals needed (200 µm vs. 1 mm)

Data collection faster (days vs. weeks)

Larger unit cells possible (300 Å vs. 150 Å)

#### Drte Nobel Prize in Chemistry 2009 Venkatraman Ramakrishnan, Thomas A. Steitz, Ada E. Yonath

## Venkatraman Ramakrishnan - Facts

#### Venkatraman Ramakrishnan

**Born:** 1952, Chidambaram, Tamil Nadu, India

Affiliation at the time of the award: MRC Laboratory of Molecular Biology, Cambridge, United Kingdom

Prize motivation: "for studies of the structure and function of the ribosome"

Field: Biochemistry, structural chemistry

**The Nobel Prize in Chemistry 1988** Johann Deisenhofer, Robert Huber, Hartmut Michel

## Hartmut Michel - Facts




Hartmut Michel

Born: 18 July 1948, Ludwigsburg, West Germany

Affiliation at the time of the award: Max-Planck-Institut für Biophysik, Frankfurt-on-the-Main, Federal Republic of Germany

Prize motivation: "for the determination of the threedimensional structure of a photosynthetic reaction centre" Field: biochemistry, structural chemistry

"There is no alternative to neutron crystallography in order to uniquely identify the location of protons, which is of particular importance when dealing with proton translocating proteins" H. Michel, MPI of Biophysics





"-One of our first questions using the ESS MX beamline will be to understand the protonation states of the reactive site aspartate acids, which will help us understand the mechanism and so lead to novel drug molecules. This, given the size of the protein, is impossible with any current technology." A. Goldman, University of Leeds "Hydrogens represent nearly half of the atoms in biomolecules. Hydrogen bonding and proton transfer play a critical role in biological structure and in catalytic mechanisms." V. Ramakrishnan, University of Cambridge



# Outline

- Introduction to neutron macromolecular crystallography – a scientific case for NMX
- Functional requirements
- Layout and components overview
- Expected performance



# Requirements

### Table 4.2-2 Requirements Metadata

ltem	Function
Requirement ID	Provides a unique numbering system for sorting and tracking.
Rationale	Provides additional information to help clarify the intent of the requirements at the time they were written. (See "Rationale" box below on what should be captured.)
Traced from	Captures the bidirectional traceability between parent requirements and lower level (derived) requirements and the relationships between requirements.
Owner	Person or group responsible for writing, managing, and/or approving changes to this requirement.
Verification method	Captures the method of verification (test, inspection, analysis, demonstration) and should be determined as the requirements are developed.
Verification lead	Person or group assigned responsibility for verifying the requirement.
Verification level	Specifies the level in the hierarchy at which the requirements will be verified (e.g., system, subsystem, element).

#### Rationale

The rationale should be kept up to date and include the following information:

- **Reason for the Requirement:** Often the reason for the requirement is not obvious, and it may be lost if not recorded as the requirement is being documented. The reason may point to a constraint or concept of operations. If there is a clear parent requirement or trade study that explains the reason, then reference it.
- **Document Assumptions:** If a requirement was written assuming the completion of a technology development program or a successful technology mission, document the assumption.
- **Document Relationships:** The relationships with the product's expected operations (e.g., expectations about how stakeholders will use a product). This may be done with a link to the ConOps.
- **Document Design Constraints:** Imposed by the results from decisions made as the design evolves. If the requirement states a method of implementation, the rationale should state why the decision was made to limit the solution to this one method of implementation.

## NMX

### 1. System requirements

## High level scientific requirements for the instrument (13.6.4)

- 1. The instrument shall allow data collection from crystals with unit cell repeats > 300 Å.
- 2. The instrument shall allow data to be collected to a dmin of 1.5 Å.
- 3. The instrument shall match the size of the neutron beam to the size of the sample.
- 4. The instrument shall match the divergence of the neutron beam to the mosaicity of the sample.
- 5. The instrument should maximise the signal-to-background (S/B) ratio of the Bragg reflections.
- The instrument should allow data collection from crystals of < 0.01 mm<sup>3</sup> volume

#### **General notes**

Instrument parameters that are defined as user selectable should be selectable with < 15 min delay (ref ConOps).

#### 1.1 Functional Requirements for NMX subsystems

#### 1.1.1 Beam transport system (BTS) (13.6.4.1)

#### 1. Wavelength resolution

- 1.1. The BTS shall transport from the moderator a beam of neutrons to the sample at a distance that leads to a maximal wavelength uncertainty of 5% ( $\Delta$ /) for the detected neutrons using the full ESS pulse
- **1.2. Rationale**: A moderate wavelength resolution allows the full pulse to be used while conserving the advantage of TOF for the S/B (see 13.6.4 (5))
- 1.3. Verification: Measurement of the pulse length at sample
- 2. Beam size
  - 2.1. The BTS shall transport from the moderator to the sample a beam of neutrons with maximum size (full width half maximum) of  $5 \pm 0.1$  mm and minimum size of  $0.2 \pm 0.02$  mm.
  - **2.2. Rationale**: Matching the beam size to the sample size maximises the S/B (see 13.6.4 (3,5-6))
  - **2.3. Verification**: Measurement of the beam intensity profile at sample




# High-level Scientific Requirements


- The instrument shall allow data collection from crystals with unit cell repeats > 300 Å.
- The instrument shall allow data to be collected to a d<sub>min</sub> of 1.5 Å.
- 3. The instrument shall match the size of the neutron beam to the size of the sample.
- 4. The instrument shall match the divergence of the neutron beam to the mosaicity of the sample.
- The instrument should maximise the signalto-background (S/B) ratio of the Bragg reflections.
- 6. The instrument should allow data collection from crystals of < 0.01 mm<sup>3</sup> volume



EUROPEAN SPALLATION

# **ESS Long-Pulse**







# **BTS Subsystem Requirements**

## **Functional requirements**

## 1. Wavelength resolution

1.1. The BTS shall transport from the moderator a beam of neutrons to the sample at a distance that leads to a maximal wavelength uncertainty of 5% ( $\Delta\lambda/\lambda$ ) for the detected neutrons using the full ESS pulse

1.2. Rationale: A moderate wavelength resolution allows the full pulse to be used while conserving the advantage of TOF for the S/B (see 13.6.4 (5))

1.3. Verification: Measurement of the pulse length at sample

## 2. Beam size

2.1. The BTS shall transport from the moderator to the sample a beam of neutrons with maximum size (full width half maximum) of 5  $\pm$  0.1 mm and minimum size of 0.2  $\pm$  0.02 mm.

2.2. Rationale: Matching the beam size to the sample size maximises the S/B (see 13.6.4(3,5-6))

2.3. Verification: Measurement of the beam intensity profile at sample

→ ~150 m flight path

~ 3 cm

guide

±0.1 K

stability

temperature




# Outline

- Introduction to neutron macromolecular crystallography – a scientific case for NMX
- Functional requirements
- Layout and components overview
- Expected performance



# **NMX Overview**






## **ESS** Layout Hall3 - All III among Neutron guide hall Hall2 1171 "J 1<sub>16</sub> Accelerator Hall1 Target building










# **Optics overview**

Curved inside bunker, optimised for maximum brilliance transfer at 2Å



- Monolith insert horizontally straight, vertically tapers from 31 mm to 46 mm, m = 2 horizontal, m = 1 vertical
- 1.2 km curvature radius within bunker
- m = 2.2 on the curve, otherwise m = 1
- Line of sight lost at 31.5 m from the moderator
- Straight guide up to 154.1 m from the moderator, m = 1
- Frame overlap mirror for  $\lambda > 10$  Å



## pros

**Option 4: Curved inside bunker, optimised** for maximum brilliance transfer at 2Å

- Acceptable performance for  $\pm 0.2^{\circ}$  divergence at < 2 Å
- Good performance all round for ±0.1° divergence this range is more typical for experiments
- Loss of line-of-sight almost within bunker lower shielding cost & easier component maintenance
- Deflects the beam far enough from the sector centreline to allow two beams to be extracted from the same beamport






- Choppers are for wavelength selection
- Single disc chopper at 32 m, corotating double disc chopper at 80 m
- Transmission has priority
- •Frame overlap suppressed for  $\lambda <$  12.4 Å
- Penumbra should be minimized
- No choppers in common bunker


Always 14Hz

Control bandwidth by change of phase and variable openings



## **Detector geometry**

EUROPEAN SPALLATION SOURCE



- Solid angle coverage can be traded for unit cell size
- Large unit cells will take longer to collect




Robotic goniometer allows choice of sample rotation axis direction

Three 60 x 60 cm detectors with 0.2 mm spatial resolution Sample-detector distance (0.2-1.0 m) and 2θ angle (0-110°) variable by robotic positioning

## EUROPEAN SPALLATION SOURCE Detector geometry









# Detectors - technological risk and mitigation strategy


- R&D required to reach 0.2 mm spatial resolution with reasonable area and efficiency
- Gd coated micropattern (GEM) detectors promising prototypes developed at CERN
- GEM detectors widely used in particle physics
- Large areas readily available








# How detect neutror <sup>№</sup> GEM?




- Neutron converter on cathode
- <sup>10</sup>B has been demonstrated to deliver spatial resolution, but low efficiency
- Gd has much higher absorption cross section, but conversion electrons are more difficult to detect
- Enriched <sup>155</sup>Gd would improve efficiency significantly






# Spatial resolution – $\mu$ TPC



 Spatial resolution of < 100 µm was achieved with a <sup>10</sup>B-GEM







# Outline


- Introduction to neutron macromolecular crystallography – a scientific case for NMX
- Functional requirements
- Layout and components overview
- Expected performance



# Spreading background over time-of-flight







# FURDPEAN SOURCE Flux at sample – time averaged

 By Monte Carlo simulation 1.8 x 10<sup>9</sup> n/s/cm<sup>2</sup> at ±0.2° divergence

 By Monte Carlo simulation 9.4 x 10<sup>8</sup> n/s/cm<sup>2</sup> at ±0.1° divergence

 In proposal analytically 3 x 10<sup>8</sup> n/s/cm<sup>2</sup> at Factor 3 ±0.1° divergence (simulations agree)

• LADI-III 5 x 10<sup>7</sup> n/s/cm<sup>2</sup>, divergence unclear Factor 18

PCS 9.7 x 10<sup>6</sup> n/s/cm<sup>2</sup> at ±0.1° divergence


Factor 100


Should be realistic to collect 0.1 mm<sup>3</sup> crystal in < 1 day

# Source Magnetic structures at ESS NMX

 Magnetic ordering in a proposed charge-ordered ferroelectric (LuFe<sub>2</sub>O<sub>4</sub>)

- Magnetic superstructure peaks easily integrateable
- **q**-resolution allows peak splitting to be observed







# Questions?